



SECTION A-A

MAIN CONTRACTOR
TO SUPPLY & FIT
1No. 240V, 13amp
SWITCHED FUSED SPUR
WITH CLEAN SUPPLY
&
1No. FIRE ALARM
INTERFACE



SECTION B-B



FTA 16 FOLDING DOOR WITH
RADAR ACTIVATION /
PRESENCE SENSOR FOR TWO
WAY TRAFFIC & BATTERY
BACK UP IN THE EVENT OF
POWER FAILURE / FIRE
ALARM ACTIVATION

2No. ACTIVATION/
THRESHOLD SAFETY SENSORS
WITH ONE TILT PLATE

MULTI-PROGRAMMABLE
FUNCTION SWITCH (B.D.E)

V.V.R LOCK WITH KEY
SWITCH FOR FIRST ENTRY

1No. PAIR OF DOORWAY
SAFETY BEAMS @ 300mm &
600mm

FIT REED SWITCH
TO OPERATOR WITH
4 CORE CABLE LEAVING
APPROXIMATELY 1000mm TAILS
(FOR INTRUDER ALARM CONTACT).

GENERAL NOTES

THIS DOCUMENT IS THE PROPERTY OF
HTC. SUBJECT MATTER IS
CONFIDENTIAL. DO NOT DISCLOSE, COPY
OR STORE ON INFORMATION RETRIEVAL
SYSTEMS OR USE FOR ANY PURPOSE
EXCEPT WITH THE PRIOR WRITTEN
CONSENT OF HTC.

NOTES



UNIT 9 DUNSCAR BUSINESS
PARK,
BOLTON,
BL7 9PQ

TEL: 01204 602518
FAX: 01204 306583

CLIENT.

SALIX HOMES

SITE.

CANNON GREEN,
SALFORD

DRG No. JMW/3924/RW

DATE 24.06.14